CLIMATE VULNERABILITY MONITOR







COUNTRY PROFILE







THE MONITOR ASSESSMENT

The Climate Vulnerability Monitor provides a comprehensive national-level assessment of vulnerabilities and impact specifically related to contemporary climate change and carbon intensiveness. This 2012 Monitor assessment was commissioned by the Climate Vulnerable Forum and has been independently developed by DARA. It is grounded in leading and up-to-date scientific studies, research and data assimilated on the basis of an externally reviewed methodology. The assessment spans 34 indicators of impact/vulnerability: 22 for climate change ("Climate") and 12 for carbon intensiveness ("Carbon"). Estimates in human, economic and environmental terms are for 2010 and 2030. Vulnerability at country-level and by indicator is comparative to the 184 countries included in the assessment.

→ For the full report, data & additional info: www.daraint.org/cvm2 - cvm@daraint.org - +34 915310372



ECONOMIC NATIONAL LOSS TOTALS: KIRIBATI

ADDITIONAL ECONOMIC COSTS (NEGATIVE NUMBERS SHOW POSITIVE EFFECTS) - YEARLY AVERAGE



2010 **17.3%** GDP 2030 **28.1%**cpp

CARBON INTENSIVENESS LOSSES PER YEAR

2010 **NIL** 2030 **NIL**

ADDITIONAL PERSONS AFFECTED-YEARLY AVERAGE



HUMAN NATIONAL LOSS TOTALS: KIRIBATI

ADDITIONAL HUMAN IMPACTS (NEGATIVE NUMBERS SHOW POSITIVE EFFECTS) - YEARLY AVERAGE

ADDITIONAL MORTALITY-YEARLY AVERAGE

CLIMATE +CARBON

2010 **20** 2030 20

CLIMATE

2010 **85,000**

2030 **85,000**

🕽 CARBON

2010 600

2030 1,500

FULL COUNTRY ASSESSMENT: KIRIBATI

			VULNERABILITY LEVEL	ADDITIONAL Y ECONOMIC COSTS (MILLION USD PPP)		ADDITIONAL MORTALITY		ADDITIONAL AFFECTED POPULATION (1000s)		OTHER VALUE 1*		OTHER VALUE 2*							
			2010 2030	2010	2030	2010	2030	2010	2030	2010	2030	2010	2030	_					
	1	ENVIRONMENTAL DISASTERS												VULNERABILITY LEVELS:					
		DROUGHT												+ Acute+	+ High+				
		FLOODS AND LANDSLIDES												- Acute-	- High-				
		STORMS												_	_				
		WILDFIRES												+ Severe+	Mode	rate			
		TOTAL		0	0	0	0	0	0					- Severe-	Low				
		HABITAT CHANGE																	
		BIODIVERSITY												+ = Upper tier	+ = Upper tier of vulnerability level				
		DESERTIFICATION												- = Lower tier of vulnerability level					
	(%)	HEATING AND COOLING	- +		5					5	15	5	10	_					
	lacksquare	LABOUR PRODUCTIVITY	- +	10	90					33	23								
		PERMAFROST												Environmental disasters					
		SEA-LEVEL RISE	+ +	90	550			0	0	100	250			♠ Habitat ch	ange				
		WATER	-		1									Health imp	nact				
CLIMATE		TOTAL		100	646			0	0										
	•	HEALTH IMPACT												M Industry st	ress				
		DIARRHEAL INFECTIONS				1	0	0						_					
		HEAT AND COLD ILLNESSES	+ +			1	1							CLIMATE =					
		HUNGER				1	1	0	0					_	o Climate Cha	nge			
		MALARIA AND VECTOR-BORNE	-			1	1	0	0					CARBON =	mpact/Vulner	abilitu			
		MENINGITIS													o Carbon Inter				
		TOTAL				3	3	0	0										
		INDUSTRY STRESS													OTHER	OTHER			
		AGRICULTURE	- +	1	20										VALUE 1	VALUE 2			
	%	FISHERIES		1	10										Contraction	Decline in			
		FORESTRY												BIODIVERSITY	of biological	biological			
		HYDRO ENERGY													zones (km²) (cumulative)	richness			
		TOURISM	+ +	1	10										Additional land				
		TRANSPORT		0	40									DESERTI- FICATION	degraded (km²)				
		TOTAL		3 103	40 686	2								FICATION	(cumulative)				
'		CLIMATE TOTAL		103	000	2	2	0	0					HEATING &	Change in energ	au			
CARBON	- 1	ENVIRONMENTAL DISASTERS												COOLING	load (GWh)	-			
		OIL SANDS													Share of				
		OIL SPILLS												LABOUR	workforce				
		TOTAL		0	0									PRODUCTIVITY	particularly				
		HABITAT CHANGE		*	•										affected (%)				
	•	BIODIVERSITY												SEA-LEVEL	Net loss of land (km²)				
		CORROSION												RISE	(cumulative)				
		WATER													Loss in water				
		TOTAL		0	0									WATER	runoff 2030 (km³)				
	•	HEALTH IMPACT													(KITI")				
		AIR POLLUTION				1	1	0	1					OIL SANDS	Tonnes toxic				
		INDOOR SMOKE				15	15	0	0						waste (1000s)				
		OCCUPATIONAL HAZARDS						0	0						Gallons oil				
		SKIN CANCER												OIL SPILLS	spill (1000s)				
		TOTAL				15.5	16	0	1										
	%	INDUSTRY STRESS												BIODIVERSITY	Decline in				
		AGRICULTURE			-10										biological richne	255			
		FISHERIES												Valume of					
		FORESTRY												WATER water to treat (millions m³)					
	- 1	TOTAL		0	-10										v-nagnami')				
		CARBON TOTAL		0	-10	15	16	0	1										